Author index

Aase, B. *see* Rørvik, L.M.
Abadias, M. *see* Torres, R.
Abboud, M.M. *see* Khleifat, K.
Abee, T. *see* Chitarra, G.S.
Abram, F., Smelt, J.P.P.M., Bos, R. & Wouters, P.C. Modelling and optimization of inactivation of *Lactobacillus plantarum* by pulsed electric field treatment, 571
Accoceberry, I. *see* Sorel, N.
Addy, M.E. *see* Mills-Robertson, F.
Aguedo, M., Beney, L., Waché, Y. & Belin, J.-M. Mechanisms underlying the toxicity of lactone aroma compounds towards the producing yeast cells, 258
Akhurst, R.J. *see* Alfredson, D.A.
Alfredson, D.A., Akhurst, R.J. & Korolik, V. Antimicrobial resistance and genomic screening of clinical isolates of thermophilic *Campylobacter* spp. from south-east Queensland, Australia, 495
Alvestad, T. *see* Rørvik, L.M.
Andersen, J.S. *see* Gradel, K.O.
Anderson, K.L. & Lebepe-Mazur, S. Comparison of rapid methods for the extraction of bacterial DNA from colonic and caecal lumen contents of the pig, 988
Anderson, R.C. *see* Edrington, T.S.
Angiolini, L. *see* Zucchi, M.
Annan, N.T., Poll, L., Sefa-Dedeh, S., Plahar, W.A. & Jakobsen, M. Volatile compounds produced by *Lactobacillus fermentum*, *Saccharomyces cerevisiae* and *Candida krusei* in single starter culture fermentations of Ghanaian maize dough, 462
Annuk, H., Shchepetova, J., Kullisaar, T., Songisepp, E., Zilmer, M. & Mikelsaar, M. Characterization of intestinal lactobacilli as putative probiotic candidates, 403
Ascencio, F. *see* Vázquez-Juárez, R.C.
Asther, M. *see* Lomascolo, A.

Ball, A.S. *see* Tuncer, M.
Ball, B.V. *see* Davidson, G.
Bang, D.D., Møller Nielsen, E., Scheutz, F., Pedersen, K., Handberg, K. & Madsen, M. PCR detection of seven virulence and toxin genes of *Campylobacter jejuni* and *Campylobacter coli* isolates from Danish pigs and cattle and cytolethal distending toxin production of the isolates, 1003
Bang, D.D. *see* Lund, M.
Banks, J. *see* Dasen, A.
Barber, J. *see* Paliy, O.
Barbés, C. *see* Fernández, M.F.
Barbieri, P. *see* Zucchi, M.
Barkholt, V. *see* Ouoba, L.I.I.
Barrera-Saldaña, H.A. *see* Vázquez-Juárez, R.C.
Bartolo, R.G. *see* McBain, A.J.
Bartolo, R.G. *see* Walsh, S.E.
Beaudet, R. *see* Gauthier, E.
Béchet, M. & Blondeau, R. Factors associated with the adherence and biofilm formation by *Aeromonas caviae* on glass surfaces, 1072
Belin, J.-M. *see* Aguedo, M.
Bell, R.G. *see* Broda, D.M.
Benchokroun, S., Imziln, B. & Hassani, L. Solar inactivation of mesophilic *Aeromonas* by exogenous photooxidation in high-rate algal pond treating waste water, 531
Beney, L. *see* Aguedo, M.
Bengtsson, G. & Zerhouni, P. Effects of carbon substrate enrichment and DOC concentration on biodegradation of PAHs in soil, 608
Bertaccini, A. *see* Botti, S.
Berthier, F. *see* Dasen, A.
Bertolini, P. *see* Mari, M.
Bischoff, K.M. *see* Edrington, T.S.
Bischoff, K.M. *see* Poole, T.L.
Bisgaard, M. *see* Olsen, J.E.
Blair, I.S. *see* Bolton, D.J.
Blair, I.S. *see* McEvoy, J.M.
Blake, D.P., Humphry, R.W., Scott, K.P., Hillman, K., Fenlon, D.R. & Low, J.C. Influence of tetracycline exposure on tetracycline resistance and the carriage of tetracycline resistance genes within commensal *Escherichia coli* populations, 1087
Blanch, A.R., Caplin, J.L., Iversen, A., Kühn, I., Manero, A., Taylor, H.D. & Vilanova, X. Comparison of enterococcal populations related to urban and hospital wastewater in various climatic and geographic European regions, 994
Blondeau, R. *see* Béchet, M.
Bloor, D. *see* Paliy, O.
Blottière, H.M. *see* Le Blay, G.M.
Boerema, J.A. *see* Broda, D.M.
Bogan, B.W., Lahner, L.M., Sullivan, W.R. & Paterek, J.R. Degradation of straight-chain aliphatic and high-molecular-weight polycyclic aromatic hydrocarbons by a strain of *Mycobacterium austroafricanum*, 230
Bohlscheid, J.C. *see* Wang, X.D.
Bolton, D.J., Pearce, R., Sheridan, J.J., McDowell, D.A. & Blair, I.S. Decontamination of pork carcasses during scalding and the prevention of *Salmonella* cross-contamination, 1036
Bond, U. *see* James, T.C.
Booth, A.M. *see* Hagedorn, C.
Borin, S. *see* Cherif, A.
Borin, S. *see* Zucchi, M.

Author index

Aase, B. *see* Rørvik, L.M.
Abadias, M. *see* Torres, R.
Abboud, M.M. *see* Khleifat, K.
Abee, T. *see* Chitarra, G.S.
Abram, F., Smelt, J.P.P.M., Bos, R. & Wouters, P.C. Modelling and optimization of inactivation of *Lactobacillus plantarum* by pulsed electric field treatment, 571
Accoceberry, I. *see* Sorel, N.
Addy, M.E. *see* Mills-Robertson, F.
Aguedo, M., Beney, L., Waché, Y. & Belin, J.-M. Mechanisms underlying the toxicity of lactone aroma compounds towards the producing yeast cells, 258
Akhurst, R.J. *see* Alfredson, D.A.
Alfredson, D.A., Akhurst, R.J. & Korolik, V. Antimicrobial resistance and genomic screening of clinical isolates of thermophilic *Campylobacter* spp. from south-east Queensland, Australia, 495
Alvestad, T. *see* Rørvik, L.M.
Andersen, J.S. *see* Gradel, K.O.
Anderson, K.L. & Lebepe-Mazur, S. Comparison of rapid methods for the extraction of bacterial DNA from colonic and caecal lumen contents of the pig, 988
Anderson, R.C. *see* Edrington, T.S.
Angiolini, L. *see* Zucchi, M.
Annan, N.T., Poll, L., Sefa-Dedeh, S., Plahar, W.A. & Jakobsen, M. Volatile compounds produced by *Lactobacillus fermentum*, *Saccharomyces cerevisiae* and *Candida krusei* in single starter culture fermentations of Ghanaian maize dough, 462
Annuk, H., Shchepetova, J., Kullisaar, T., Songisepp, E., Zilmer, M. & Mikelsaar, M. Characterization of intestinal lactobacilli as putative probiotic candidates, 403
Ascencio, F. *see* Vázquez-Juárez, R.C.
Asther, M. *see* Lomascolo, A.

Ball, A.S. *see* Tuncer, M.
Ball, B.V. *see* Davidson, G.
Bang, D.D., Møller Nielsen, E., Scheutz, F., Pedersen, K., Handberg, K. & Madsen, M. PCR detection of seven virulence and toxin genes of *Campylobacter jejuni* and *Campylobacter coli* isolates from Danish pigs and cattle and cytolethal distending toxin production of the isolates, 1003
Bang, D.D. *see* Lund, M.
Banks, J. *see* Dasen, A.
Barber, J. *see* Paliy, O.
Barbés, C. *see* Fernández, M.F.
Barbieri, P. *see* Zucchi, M.
Barkholt, V. *see* Ouoba, L.I.I.
Barrera-Saldaña, H.A. *see* Vázquez-Juárez, R.C.
Bartolo, R.G. *see* McBain, A.J.
Bartolo, R.G. *see* Walsh, S.E.
Beaudet, R. *see* Gauthier, E.
Béchet, M. & Blondeau, R. Factors associated with the adherence and biofilm formation by *Aeromonas caviae* on glass surfaces, 1072
Belin, J.-M. *see* Aguedo, M.
Bell, R.G. *see* Broda, D.M.
Benchokroun, S., Imziln, B. & Hassani, L. Solar inactivation of mesophilic *Aeromonas* by exogenous photooxidation in high-rate algal pond treating waste water, 531
Beney, L. *see* Aguedo, M.
Bengtsson, G. & Zerhouni, P. Effects of carbon substrate enrichment and DOC concentration on biodegradation of PAHs in soil, 608
Bertaccini, A. *see* Botti, S.
Berthier, F. *see* Dasen, A.
Bertolini, P. *see* Mari, M.
Bischoff, K.M. *see* Edrington, T.S.
Bischoff, K.M. *see* Poole, T.L.
Bisgaard, M. *see* Olsen, J.E.
Blair, I.S. *see* Bolton, D.J.
Blair, I.S. *see* McEvoy, J.M.
Blake, D.P., Humphry, R.W., Scott, K.P., Hillman, K., Fenlon, D.R. & Low, J.C. Influence of tetracycline exposure on tetracycline resistance and the carriage of tetracycline resistance genes within commensal *Escherichia coli* populations, 1087
Blanch, A.R., Caplin, J.L., Iversen, A., Kühn, I., Manero, A., Taylor, H.D. & Vilanova, X. Comparison of enterococcal populations related to urban and hospital wastewater in various climatic and geographic European regions, 994
Blondeau, R. *see* Béchet, M.
Bloor, D. *see* Paliy, O.
Blottière, H.M. *see* Le Blay, G.M.
Boerema, J.A. *see* Broda, D.M.
Bogan, B.W., Lahner, L.M., Sullivan, W.R. & Paterek, J.R. Degradation of straight-chain aliphatic and high-molecular-weight polycyclic aromatic hydrocarbons by a strain of *Mycobacterium austroafricanum*, 230
Bohlscheid, J.C. *see* Wang, X.D.
Bolton, D.J., Pearce, R., Sheridan, J.J., McDowell, D.A. & Blair, I.S. Decontamination of pork carcasses during scalding and the prevention of *Salmonella* cross-contamination, 1036
Bond, U. *see* James, T.C.
Booth, A.M. *see* Hagedorn, C.
Borin, S. *see* Cherif, A.
Borin, S. *see* Zucchi, M.

Boris, S. *see* Fernández, M.F.
Bos, R. *see* Abram, F.
Botti, S. & Bertaccini, A. Variability and functional role of chromosomal sequences in 16SrI-B subgroup phytoplasmas including aster yellows and related strains, 103
Boudabous, A. *see* Cherif, A.
Bourel, G., Henini, S., Diviès, C. & Garmyn, D. The response of *Leuconostoc mesenteroides* to low external oxidoreduction potential generated by hydrogen gas, 280
Brabban, A.D. *see* Edrington, T.S.
Bradford, M. *see* Crowther, J.
Braster, M. *see* Ralebitso-Senior, T.K.
Bredholt, S. *see* Rudi, K.
Breeuwer, P. *see* Chitarra, G.S.
Breslin, M. *see* Davies, R.H.
Breslin, M. *see* Liebana, E.
Brisabois, A. *see* Hennekinne, J.A.
Brockwell, D. *see* Paliy, O.
Broda, D.M., Boerema, J.A. & Bell, R.G. PCR detection of psychrophilic *Clostridium* spp. causing 'blown pack' spoilage of vacuum-packed chilled meats, 515
Brook, A.H. *see* Guan, Y.H.
Brown, D.J. *see* Olsen, J.E.
Brusetti, L. *see* Cherif, A.
Brusetti, L. *see* Zucchi, M.

Cafferkey, M. *see* Xu, J.
Calderón, E. *see* Lucena, F.
Callaway, T.R. *see* Edrington, T.S.
Callaway, T.R. *see* Poole, T.L.
Callewaert, R. *see* Foulquié Moreno, M.R.
Campbell, S. *see* James, T.C.
Campos, C. *see* Lucena, F.
Campos, F.M., Couto, J.A. & Hogg, T.A. Influence of phenolic acids on growth and inactivation of *Oenococcus oeni* and *Lactobacillus hilgardii*, 167
Caplin, J.L. *see* Blanch, A.R.
Cárdenas, M. *see* Lucena, F.
Caro, C. *see* Cools, I.
Carvalho, A.S., Silva, J., Ho, P., Teixeira, P., Malcata, F.X. & Gibbs, P. Effect of various growth media upon survival during storage of freeze-dried *Enterococcus faecalis* and *Enterococcus durans*, 947
Carvalho, M.A.R. *see* Silva, V.L.
Catrenich, C.E. *see* McBain, A.J.
Catrenich, C.E. *see* Walsh, S.E.
Caugant, D.A. *see* Rørvik, L.M.
Cecchini, C. *see* Verdenelli, M.C.
Cerniglia, C.E. *see* Wagner, R.D.
Chandler, D. *see* Davidson, G.
Chandrashekar, A. *see* Shamala, T.R.
Charbonneau, D. *see* McBain, A.J.
Charbonneau, D.L. *see* Walsh, S.E.
Charbonnel, P. *see* Helinck, S.
Chart, H. The pathogenicity of strains of *Salmonella paratyphi* B and *Salmonella java*, 340
Cherbut, C.J. *see* Le Blay, G.M.
Cherif, A., Brusetti, L., Borin, S., Rizzi, A., Boudabous, A., Khyami-Horani, H. & Daffonchio, D. Genetic relationship in the '*Bacillus cereus* group' by rep-PCR fingerprinting and sequencing of a *Bacillus anthracis*-specific rep-PCR fragment, 1108
Chikindas, M.L. *see* Li, J.
Child, M. *see* Taylor-Robinson, J.D.
Chitarra, G.S., Breeuwer, P., Nout, M.J.R., van Aelst, A.C., Rombouts, F.M. & Abee, T. An antifungal compound produced by *Bacillus subtilis* YM 10–20 inhibits germination of *Penicillium roqueforti* conidiospores, 159
Choi, J.W. *see* Hwang, H.J.
Choi, J.-W. *see* Kim, S.-W.
Clifton-Hadley, F.A. *see* Liebana, E.
Clouting, C. *see* Liebana, E.
Coakley, M., Ross, R.P., Nordgren, M., Fitzgerald, G., Devery, R. & Stanton, C. Conjugated linoleic acid biosynthesis by human-derived *Bifidobacterium* species, 138
Colás, J. *see* Reche, M.P.
Conte, M.P. *see* Longhi, C.
Cools, I., Uyttendaele, M., Caro, C., D'Haese, E., Nelis, H.J. & Debevere, J. Survival of *Campylobacter jejuni* strains of different origin in drinking water, 886
Coosemans, J. *see* Ryckeboer, J.
Corry, J.E.L. *see* Gradel, K.O.
Corsetti, A., De Angelis, M., Dellaglio, F., Paparella, A., Fox, P.F., Settanni, L. & Gobbetti, M. Characterization of sourdough lactic acid bacteria based on genotypic and cell-wall protein analyses, 641
Costa, C. *see* Ralebitso-Senior, T.K.
Couto, J.A. *see* Campos, F.M.
Cresci, A. *see* Verdenelli, M.C.
Critchley, M.M., Cromar, N.J., McClure, N.C. & Fallowfield, H.J. The influence of the chemical composition of drinking water on cuprosolvency by biofilm bacteria, 501
Cromar, N.J. *see* Critchley, M.M.
Crowe, M.J. *see* Xu, J.
Crowther, J., Wyer, M.D., Bradford, M., Kay, D. & Francis, C.A. Modelling faecal indicator concentrations in large rural catchments using land use and topographic data, 962
Crozier, J.B. *see* Hagedorn, C.

Crupper, S.S. *see* Mills-Robertson, F.
Cuero, R., Ouellet, T., Yu, J. & Mogongwa, N. Metal ion enhancement of fungal growth, gene expression and aflatoxin synthesis in *Aspergillus flavus*: RT-PCR characterization, 953

Dadea, G.M. *see* Verdenelli, M.C.
Daffonchio, D. *see* Cherif, A.
Daffonchio, D. *see* Zucchi, M.
D'Haese, E. *see* Cools, I.
Dalgaard, P., Vancanneyt, M., Euras Vilalta, N., Swings, J., Fruekilde, P. & Leisner, J.J. Identification of lactic acid bacteria from spoilage associations of cooked and brined shrimps stored under modified atmosphere between 0°C and 25°C, 80
Dasen, A., Berthier, F., Grappin, R., Williams, A.G. & Banks, J. Genotypic and phenotypic characterization of the dynamics of the lactic acid bacterial population of adjunct-containing Cheddar cheese manufactured from raw and microfiltered pasteurised milk, 595
Datry, A. *see* Sorel, N.
Dauvrin, T. *see* Lomascolo, A.
Davidson, G., Phelps, K., Sunderland, K.D., Pell, J.K., Ball, B.V., Shaw, K.E. & Chandler, D. Study of temperature–growth interactions of entomopathogenic fungi with potential for control of *Varroa destructor* (Acari: Mesostigmata) using a nonlinear model of poikilotherm development, 816
Davies, R.H. & Breslin, M. Investigation of *Salmonella* contamination and disinfection in farm egg-packing plants, 191
Davies, R.H. *see* Liebana, E.
De Angelis, M. *see* Corsetti, A.
De Buyser, M.L. *see* Hennekinne, J.A.
De Cal, A. *see* Larena, I.
de Graaf, T. *see* Guan, Y.H.
de las Heras, A., Patiño, B., Posada, M.L., Martínez, M.J., Vázquez, C. & González Jaén, M.T. Characterization and *in vitro* expression patterns of an exopolygalacturonase encoding gene from *Fusarium oxysporum* f.sp. *radicis lycopersici*, 856
de Jonge, R., Ritmeester, W.S. & van Leusden, F.M. Adaptive responses of *Salmonella enterica* serovar Typhimurium DT104 and other *S.* Typhimurium strains and *Escherichia coli* O157 to low pH environments, 625
de Jonge, R., Takumi, K., Ritmeester, W.S. & van Leusden, F.M. The adaptive response of *Escherichia coli* O157 in an environment with changing pH, 555
De Vos, P. *see* Święcicka, I.
De Vuyst, L. *see* Foulquié Moreno, M.R.
Debevere, J. *see* Cools, I.
Delattre, M. *see* Lomascolo, A.
Dellaglio, F. *see* Corsetti, A.
Denyer, S.P. *see* Johnston, M.D.
Denyer, S.P. *see* Lambert, R.J.W.
Deprins, K. *see* Ryckeboer, J.
Devery, R. *see* Coakley, M.
Devreese, B. *see* Foulquié Moreno, M.R.
DeVuyst, L. *see* Mareková, M.
Déziel, E. *see* Gauthier, E.
Diawara, B. *see* Ouoba, L.I.I.
Dietrich, N. *see* Zucchi, M.
Diez-Gonzalez, F. *see* Park, G.W.
Dilasser, F. *see* Perelle, S.
Diviès, C. *see* Bourel, G.
Divol, B., Tonon, T., Morichon, S., Gindreau, E. & Lonvaud-Funel, A. Molecular characterization of *Oenococcus œni* genes encoding proteins involved in arginine transport, 738
Dockter, M.R. *see* Logue, C.M.
Doherty, A.M. *see* McEvoy, J.M.
Donnelly, D. *see* James, T.C.
Dorsch, M.R. *see* Gunasekera, T.S.
Drømtorp, S.M. *see* Rudi, K.
Durham, K. *see* Mattick, K.
Dymock, D. *see* Edwards, A.M.

Echeita, M.A. *see* Reche, M.P.
Edrington, T.S., Callaway, T.R., Varey, P.D., Jung, Y.S., Bischoff, K.M., Elder, R.O., Anderson, R.C., Kutter, E., Brabban, A.D. & Nisbet, D.J. Effects of the antibiotic ionophores monensin, lasalocid, laidlomycin propionate and bambermycin on *Salmonella* and *E. coli* O157:H7 *in vitro*, 207
Edwards, A.M., Dymock, D. & Jenkinson, H.F. From tooth to hoof: treponemes in tissue-destructive diseases, 767
Edwards, C. *see* Taylor-Robinson, J.D.
Edwards, C.G. *see* Wang, X.D.
Elder, R.O. *see* Edrington, T.S.
Elgalai, I. & Foster, H.A. Comparison of adhesion of wound isolates of *Staphylococcus aureus* to immobilized proteins, 413
Elijah, L.M. *see* Logue, C.M.
Elorrieta, M.A. *see* Suárez-Estrella, F.
Elorrieta, M.A. *see* Vargas-Garcia, M.C.
Euras Vilalta, N. *see* Dalgaard, P.

Fach, P. *see* Perelle, S.
Fallowfield, H.J. *see* Critchley, M.M.
Farias, L.M. *see* Silva, V.L.

Faure, D. *see* Merle, C.
Fenlon, D.R. *see* Blake, D.P.
Fernández, M.F., Boris, S. & Barbés, C. Probiotic properties of human lactobacilli strains to be used in the gastrointestinal tract, 449
Fitzgerald, G. *see* Coakley, M.
Fogarty, L.R., Haack, S.K., Wolcott, M.J. & Whitman, R.L. Abundance and characteristics of the recreational water quality indicator bacteria *Escherichia coli* and enterococci in gull faeces, 865
Font de Valdez, G. *see* Mozzi, F.
Fortina, M.G. *see* Mora, D.
Foster, H.A. *see* Elgalai, I.
Foucaud-Scheunemann, C. *see* Helinck, S.
Foulquié Moreno, M.R., Callewaert, R., Devreese, B., Van Beeumen, J. & De Vuyst, L. Isolation and biochemical characterisation of enterocins produced by enterococci from different sources, 214
Fox, A.J. *see* Xu, J.
Fox, P.F. *see* Corsetti, A.
Francis, C.A. *see* Crowther, J.
Frece, J. *see* Kos, B.
Fruekilde, P. *see* Dalgaard, P.
Furukawa, S., Shimoda, M. & Hayakawa, I. Mechanism of the inactivation of bacterial spores by reciprocal pressurization treatment, 836

Gale, P. Using event trees to quantify pathogen levels on root crops from land application of treated sewage sludge, 35
Gantzer, C. *see* Lucena, F.
García de los Rios, J.E. *see* Reche, M.P.
Garcia-Migura, L. *see* Liebana, E.
Garmyn, D. *see* Bourel, G.
Gauthier, E., Déziel, E., Villemur, R., Juteau, P., Lépine, F. & Beaudet, R. Initial characterization of new bacteria degrading high-molecular weight polycyclic aromatic hydrocarbons isolated from a 2-year enrichment in a two-liquid-phase culture system, 301
Genovese, K.J. *see* Poole, T.L.
Georis, J. *see* Lomascolo, A.
Gibbs, P. *see* Carvalho, A.S.
Gigliotti, C. *see* Zucchi, M.
Gilbert, P. *see* McBain, A.J.
Gilbert, P. *see* Paliy, O.
Gillespie, S.H. *see* Kanduma, E.
Gindreau, E. *see* Divol, B.
Gobbetti, M. *see* Corsetti, A.
Gómez-Chiarri, M. *see* Vázquez-Juárez, R.C.
González Jaén, M.T. *see* de las Heras, A.
González, E. *see* Theoduloz, C.
Gradel, K.O., Jørgensen, J.Chr., Andersen, J.S. & Corry, J.E.L. Laboratory heating studies with *Salmonella* spp. and *Escherichia coli* in organic matter, with a view to decontamination of poultry houses, 919
Grappin, R. *see* Dasen, A.
Graves, A.K. *see* Hagedorn, C.
Grgič, I. & Perdih, A. Stimulation of ligninolytic enzyme production in *Phanerochaete chrysosporium* by polyoxyalkanes, 360
Grieve, C.M. *see* Ibekwe, A.M.
Griffith, C. *see* Mattick, K.
Grout, J. *see* Perelle, S.
Guan, Y.H., Lath, D.L., de Graaf, T., Lilley, T.H. & Brook, A.H. Moderation of oral bacterial adhesion on saliva-coated hydroxyapatite by polyaspartate, 456
Guerrero, A. *see* Lucena, F.
Guillot, E. *see* Sorel, N.
Gunasekera, T.S., Dorsch, M.R., Slade, M.B. & Veal, D.A. Specific detection of *Pseudomonas* spp. in milk by fluorescence *in situ* hybridization using ribosomal RNA directed probes, 936
Guynot, M.E., Ramos, A.J., Setó, L., Purroy, P., Sanchis, V. & Marín, S. Antifungal activity of volatile compounds generated by essential oils against fungi commonly causing deterioration of bakery products, 893

Haack, S.K. *see* Fogarty, L.R.
Hagedorn, C., Crozier, J.B., Mentz, K.A., Booth, A.M., Graves, A.K., Nelson, N.J. & Reneau Jr, R.B. Carbon source utilization profiles as a method to identify sources of faecal pollution in water, 792
Handberg, K. *see* Bang, D.D.
Hanlon, G.W. *see* Johnston, M.D.
Hanlon, G.W. *see* Lambert, R.J.W.
Hansen, T.B. & Knøchel, S. Image analysis method for evaluation of specific and non-specific hand contamination, 483
Harding, S.E. *see* Lee, J.K.
Hassani, L. *see* Benchokroun, S.
Hayakawa, I. *see* Furukawa, S.
Hayes, S.L., Rice, E.W., Ware, M.W. & Schaefer III, F.W. Low pressure ultraviolet studies for inactivation of *Giardia muris* cysts, 54
Helinck, S., Charbonnel, P., Foucaud-Scheunemann, C., Piard, J.-C. & Juillard, V. Charged casein-derived oligopeptides competitively inhibit the transport of a reporter oligopeptide by *Lactococcus lactis*, 900
Hendrix, M. *see* Mattick, K.
Henini, S. *see* Bourel, G.

Hennekinne, J.A., Kerouanton, A., Brisabois, A. & De Buyser, M.L. Discrimination of *Staphylococcus aureus* biotypes by pulsed-field gel electrophoresis of DNA macro-restriction fragments, 321
Hernández-Saavedra, N.Y. *see* Vázquez-Juárez, R.C.
Herpoël-Gimbert, I. *see* Lomascolo, A.
Hillman, K. *see* Blake, D.P.
Hirvonen, M.-R. *see* Murtoniemi, T.
Ho, P. *see* Carvalho, A.S.
Hogg, T.A. *see* Campos, F.M.
Holck, A. *see* Rudi, K.
Holtman, M.A. *see* Sullivan, R.F.
Humphrey, T. *see* Mattick, K.
Humphry, R.W. *see* Blake, D.P.
Hwang, H.J., Kim, S.W., Xu, C.P., Choi, J.W. & Yun, J.W. Production and molecular characteristics of four groups of exopolysaccharides from submerged culture of *Phellinus gilvus*, 708
Hwang, H.-J. *see* Kim, S.-W.

Ibekwe, A.M. & Grieve, C.M. Detection and quantification of *Escherichia coli* O157:H7 in environmental samples by real-time PCR, 421
Imziln, B. *see* Benchokroun, S.
Iversen, A. *see* Blanch, A.R.

Jakobsen, M. *see* Annan, N.T.
Jakobsen, M. *see* Ouoba, L.I.I.
James, T.C., Campbell, S., Donnelly, D. & Bond, U. Transcription profile of brewery yeast under fermentation conditions, 432
Jenkinson, H.F. *see* Edwards, A.M.
Jiménez, P.A. *see* Reche, M.P.
Jofre, J. *see* Lucena, F.
Johnston, M.D., Hanlon, G.W., Denyer, S.P. & Lambert, R.J.W. Membrane damage to bacteria caused by single and combined biocides, 1015
Johnston, M.D. *see* Lambert, R.J.W.
Jørgensen, J.Chr. *see* Gradel, K.O.
Juillard, V. *see* Helinck, S.
Jung, Y.S. *see* Edrington, T.S.
Juteau, P. *see* Gauthier, E.

Kanduma, E., McHugh, T.D. & Gillespie, S.H. Molecular methods for *Mycobacterium tuberculosis* strain typing: a users guide, 781
Kay, D. *see* Crowther, J.
Keinänen, M.M. *see* Murtoniemi, T.
Kerouanton, A. *see* Hennekinne, J.A.
Khleifat, K. & Abboud, M.M. Correlation between bacterial haemoglobin gene (*vgb*) and aeration: their effect on the growth and α-amylase activity in transformed *Enterobacter aerogenes*, 1052
Khyami-Horani, H. *see* Cherif, A.
Kim, S.-W., Hwang, H.-J., Xu, C.-P., Sung, J.-M., Choi, J.-W. & Yun, J.-W. Optimization of submerged culture process for the production of mycelial biomass and exo-polysaccharides by *Cordyceps militaris* C738, 120
Kim, S.W. *see* Hwang, H.J.
Knape, K.D. *see* Poole, T.L.
Knøchel, S. *see* Hansen, T.B.
Kobayashi, D.Y. *see* Sullivan, R.F.
Kocherginskaya, S.A. *see* Vercoe, P.E.
Kolling, G.L. *see* Li, J.
Korolik, V. *see* Alfredson, D.A.
Kos, B., Šušković, J., Vuković, S., Šimpraga, M., Frece, J. & Matošić, S. Adhesion and aggregation ability of probiotic strain *Lactobacillus acidophilus* M92, 981
Kshama, L. *see* Shamala, T.R.
Kühn, I. *see* Blanch, A.R.
Kullisaar, T. *see* Annuk, H.
Kutter, E. *see* Edrington, T.S.

Lahner, L.M. *see* Bogan, B.W.
Lambert, R.J.W., Johnston, M.D., Hanlon, G.W. & Denyer, S.P. Theory of antimicrobial combinations: biocide mixtures – synergy or addition?, 747
Lambert, R.J.W. *see* Johnston, M.D.
Larena, I., De Cal, A., Liñán, M. & Melgarejo, P. Drying of *Epicoccum nigrum* conidia for obtaining a shelf-stable biological product against brown rot disease, 508
Lath, D.L. *see* Guan, Y.H.
Lauková, A. *see* Mareková, M.
Le Blay, G.M., Michel, C.D., Blottière, H.M. & Cherbut, C.J. Raw potato starch and short-chain fructo-oligosaccharides affect the composition and metabolic activity of rat intestinal microbiota differently depending on the caecocolonic segment involved, 312
Le Hénaff, M. *see* Merle, C.
Lebepe-Mazur, S. *see* Anderson, K.L.
Ledder, R.G. *see* McBain, A.J.
Lee, J.K., Movahedi, S., Harding, S.E. & Waites, W.M. The effect of acid shock on sporulating *Bacillus subtilis* cells, 184
Leisner, J.J. *see* Dalgaard, P.
Lépine, F. *see* Gauthier, E.
Lescob, S. *see* Tresse, O.

Li, J., Kolling, G.L., Matthews, K.R. & Chikindas, M.L. Cold and carbon dioxide used as multi-hurdle preservation do not induce appearance of viable but non-culturable *Listeria monocytogenes*, 48
Liebana, E., Garcia-Migura, L., Clouting, C., Clifton-Hadley, F.A., Breslin, M. & Davies, R.H. Molecular fingerprinting evidence of the contribution of wildlife vectors in the maintenance of *Salmonella* Enteritidis infection in layer farms, 1024
Lilley, T.H. *see* Guan, Y.H.
Liñán, M. *see* Larena, I.
Logue, C.M., Sherwood, J.S., Olah, P.A., Elijah, L.M. & Dockter, M.R. The incidence of antimicrobial-resistant *Salmonella* spp. on freshly processed poultry from US Midwestern processing plants, 16
Lomascolo, A., Record, E., Herpoël-Gimbert, I., Delattre, M., Robert, J.L., Georis, J., Dauvrin, T., Sigoillot, J.-C. & Asther, M. Overproduction of laccase by a monokaryotic strain of *Pycnoporus cinnabarinus* using ethanol as inducer, 618
Longhi, C., Maffeo, A., Penta, M., Petrone, G., Seganti, L. & Conte, M.P. Detection of *Listeria monocytogenes* in Italian-style soft cheeses, 879
Lonvaud-Funel, A. *see* Divol, B.
López, M.J. *see* Suárez-Estrella, F.
Lopez, M.J. *see* Vargas-Garcia, M.C.
Low, J.C. *see* Blake, D.P.
Lucena, F., Méndez, X., Morón, A., Calderón, E., Campos, C., Guerrero, A., Cárdenas, M., Gantzer, C., Shwartzbrood, L., Skraber, S. & Jofre, J. Occurrence and densities of bacteriophages proposed as indicators and bacterial indicators in river waters from Europe and South America, 808
Lund, M., Wedderkopp, A., Wainø, M., Nordentoft, S., Bang, D.D., Pedersen, K. & Madsen, M. Evaluation of PCR for detection of *Campylobacter* in a national broiler surveillance programme in Denmark, 929

McBain, A.J., Bartolo, R.G., Catrenich, C.E., Charbonneau, D., Ledder, R.G. & Gilbert, P. Growth and molecular characterization of dental plaque microcosms, 655
McClure, N.C. *see* Critchley, M.M.
MacDonald, J.A. *see* Meckes, M.C.
McDowell, D.A. *see* Bolton, D.J.
McDowell, D.A. *see* McEvoy, J.M.
McEvoy, J.M., Doherty, A.M., Sheridan, J.J., Blair, I.S. & McDowell, D.A. The prevalence of *Salmonella* spp. in bovine faecal, rumen and carcass samples at a commercial abattoir, 693
McHugh, T.D. *see* Kanduma, E.
McKillip, J.L. *see* Sandel, M.K.
Madsen, M. *see* Bang, D.D.
Madsen, M. *see* Lund, M.
Madsen, M. *see* Olsen, J.E.
Maffeo, A. *see* Longhi, C.
Maillard, J.-Y. *see* Walsh, S.E.
Malcata, F.X. *see* Carvalho, A.S.
Manachini, P.L. *see* Mora, D.
Manero, A. *see* Blanch, A.R.
Mareková, M., Lauková, A., DeVuyst, L., Skaugen, M. & Nes, I.F. Partial characterization of bacteriocins produced by environmental strain *Enterococcus faecium* EK13, 523
Mari, M., Bertolini, P. & Pratella, G.C. Non-conventional methods for the control of post-harvest pear diseases, 761
Marín, S. *see* Guynot, M.E.
Martín, S. *see* Sánchez-Porro, C.
Martínez, M.J. *see* de las Heras, A.
Matošić, S. *see* Kos, B.
Matthews, K.R. *see* Li, J.
Mattick, K., Durham, K., Hendrix, M., Slader, J., Griffith, C., Sen, M. & Humphrey, T. The microbiological quality of washing-up water and the environment in domestic and commercial kitchens, 842
Meckes, M.C. & MacDonald, J.A. Evaluation of a DNA probe test kit for detection of Salmonellae in biosolids, 382
Melgarejo, P. *see* Larena, I.
Mellado, E. *see* Sánchez-Porro, C.
Méndez, X. *see* Lucena, F.
Mensah, P. *see* Mills-Robertson, F.
Mentz, K.A. *see* Hagedorn, C.
Mergaert, J. *see* Ryckeboer, J.
Merle, C., Faure, D., Urdaci, M.-C. & Le Hénaff, M. Purification and characterization of a membrane glycoprotein from the fish pathogen *Flavobacterium psychrophilum*, 1120
Mesnard-Rouiller, L. *see* Sorel, N.
Meza-Basso, L. *see* Theoduloz, C.
Michel, C.D. *see* Le Blay, G.M.
Miégeville, M. *see* Sorel, N.
Mikelsaar, M. *see* Annuk, H.
Millar, B.C. *see* Xu, J.
Mills-Robertson, F., Crupper, S.S., Addy, M.E. & Mensah, P. Antibiotic resistance and genotyping of clinical group B *Salmonella* isolated in Accra, Ghana, 289
Mogongwa, N. *see* Cuero, R.
Møller Nielsen, E. *see* Bang, D.D.
Moore, J.E. *see* Xu, J.

Mora, D., Musacchio, F., Fortina, M.G., Senini, L. & Manachini, P.L. Autolytic activity and pediocin-induced lysis in *Pediococcus acidilactici* and *Pediococcus pentosaceus* strains, 561
Moreno, J. *see* Suárez-Estrella, F.
Moreno, J. *see* Vargas-Garcia, M.C.
Morichon, S. *see* Divol, B.
Morón, A. *see* Lucena, F.
Movahedi, S. *see* Lee, J.K.
Mozzi, F., Savoy de Giori, G. & Font de Valdez, G. UDP-galactose 4-epimerase: a key enzyme in exopolysaccharide formation by *Lactobacillus casei* CRL 87 in controlled pH batch cultures, 175
Muck, R.E. *see* Weinberg, Z.G.
Murphy, C.D. New frontiers in biological halogenation, 539
Murphy, K. *see* Xu, J.
Murtoniemi, T., Keinänen, M.M., Nevalainen, A. & Hirvonen, M.-R. Starch in plasterboard sustains *Streptomyces californicus* growth and bioactivity of spores, 1059
Musacchio, F. *see* Mora, D.

Naterstad, K. *see* Rudi, K.
Nelis, H.J. *see* Cools, I.
Nelson, N.J. *see* Hagedorn, C.
Nes, I.F. *see* Mareková, M.
Nevalainen, A. *see* Murtoniemi, T.
Nicoli, J.R. *see* Silva, V.L.
Nielsen, P.V. *see* Suhr, K.I.
Nisbet, D.J. *see* Edrington, T.S.
Nisbet, D.J. *see* Poole, T.L.
Nishino, N., Yoshida, M., Shiota, H. & Sakaguchi, E. Accumulation of 1,2-propanediol and enhancement of aerobic stability in whole crop maize silage inoculated with *Lactobacillus buchneri*, 800
Nogva, H.K. *see* Rudi, K.
Nordentoft, S. *see* Lund, M.
Nordgren, M. *see* Coakley, M.
Nout, M.J.R. *see* Chitarra, G.S.
Nychas, G.-J.E. *see* Panagou, E.Z.

Olah, P.A. *see* Logue, C.M.
Olsen, J.E., Brown, D.J., Madsen, M. & Bisgaard, M. Cross-contamination with *Salmonella* on a broiler slaughterhouse line demonstrated by use of epidemiological markers, 826
Oriel, P.J. *see* Patrauchan, M.A.
Orpianesi, C. *see* Verdenelli, M.C.
Ouellet, T. *see* Cuero, R.
Ouoba, L.I.I., Rechinger, K.B., Barkholt, V., Diawara, B., Traore, A.S. & Jakobsen, M. Degradation of proteins during the fermentation of African locust bean (*Parkia biglobosa*) by strains of *Bacillus subtilis* and *Bacillus pumilus* for production of Soumbala, 396

Paine, D.D. *see* Wagner, R.D.
Paliy, O., Bloor, D., Brockwell, D., Gilbert, P. & Barber, J. Improved methods of cultivation and production of deuteriated proteins from *E. coli* strains grown on fully deuteriated minimal medium, 580
Panagou, E.Z., Skandamis, P.N. & Nychas, G.-J.E. Modelling the combined effect of temperature, pH and a_w on the growth rate of *Monascus ruber*, a heat-resistant fungus isolated from green table olives, 146
Paparella, A. *see* Corsetti, A.
Park, G.W. & Diez-Gonzalez, F. Utilization of carbonate and ammonia-based treatments to eliminate *Escherichia coli* O157:H7 and *Salmonella* Typhimurium DT104 from cattle manure, 675
Paterek, J.R. *see* Bogan, B.W.
Patiño, B. *see* de las Heras, A.
Patrauchan, M.A. & Oriel, P.J. Degradation of benzyldimethylalkylammonium chloride by *Aeromonas hydrophila* sp. K., 266
Pearce, R. *see* Bolton, D.J.
Pedersen, K. & Wedderkopp, A. Resistance to quinolones in *Campylobacter jejuni* and *Campylobacter coli* from Danish broilers at farm level, 111
Pedersen, K. *see* Bang, D.D.
Pedersen, K. *see* Lund, M.
Pell, J.K. *see* Davidson, G.
Penta, M. *see* Longhi, C.
Perdih, A. *see* Grgič, I.
Perelle, S., Dilasser, F., Grout, J. & Fach, P. Development of a 5′-nuclease PCR assay for detecting Shiga toxin-producing *Escherichia coli* O145 based on the identification of an 'O-island 29' homologue, 587
Petrone, G. *see* Longhi, C.
Phelps, K. *see* Davidson, G.
Piard, J.-C. *see* Helinck, S.
Pickup, R. *see* Taylor-Robinson, J.D.
Plahar, W.A. *see* Annan, N.T.
Plaza, P., Usall, J., Teixidó, N. & Viñas, I. Effect of water activity and temperature on germination and growth of *Penicillium digitatum*, *P. italicum* and *Geotrichum candidum*, 549
Poll, L. *see* Annan, N.T.

Poole, T.L., Genovese, K.J., Knape, K.D., Callaway, T.R., Bischoff, K.M. & Nisbet, D.J. Effect of subtherapeutic concentrations of tylosin on the inhibitory stringency of a mixed anaerobe continuous-flow culture of chicken microflora against *Escherichia coli* O157:H7, 73
Posada, M.L. *see* de las Heras, A.
Pratella, G.C. *see* Mari, M.
Purroy, P. *see* Guynot, M.E.

Ralebitso-Senior, T.K., Costa, C., Röling, W.F.M., Braster, M., Senior, E. & van Verseveld, H.W. Atrazine catabolism by a combined bacterial association (KRA30) under carbon- and nitrogen-limitations in a retentostat, 1043
Ramos, A.J. *see* Guynot, M.E.
Reche, M.P., Echeita, M.A., García de los Rios, J.E., Usera, M.A., Jiménez, P.A., Rojas, A.M., Colás, J. & Rodriguez, I. Comparison of phenotypic and genotypic markers for characterization of an outbreak of *Salmonella* serotype Havana in captive raptors, 65
Rechinger, K.B. *see* Ouoba, L.I.I.
Record, E. *see* Lomascolo, A.
Reneau Jr, R.B. *see* Hagedorn, C.
Rho, D. *see* Tresse, O.
Rice, E.W. *see* Hayes, S.L.
Richardson, I.R. & Stevens, A.M. Microbiological examination of ready-to-eat stuffing from retail premises in the north-east of England. The 'Get Stuffed' survey, 733
Ritmeester, W.S. *see* de Jonge, R.
Rizzi, A. *see* Cherif, A.
Robert, J.L. *see* Lomascolo, A.
Rodriguez, I. *see* Reche, M.P.
Rojas, A.M. *see* Reche, M.P.
Röling, W.F.M. *see* Ralebitso-Senior, T.K.
Rombouts, F.M. *see* Chitarra, G.S.
Rørvik, L.M., Aase, B., Alvestad, T. & Caugant, D.A. Molecular epidemiological survey of *Listeria monocytogenes* in broilers and poultry products, 633
Ross, R.P. *see* Coakley, M.
Rudi, K., Nogva, H.K., Naterstad, K., Drømtorp, S.M., Bredholt, S. & Holck, A. Subtyping *Listeria monocytogenes* through the combined analyses of genotype and expression of the *hlyA* virulence determinant, 720
Russell, A.D. *see* Walsh, S.E.
Ryckeboer, J., Mergaert, J., Coosemans, J., Deprins, K. & Swings, J. Microbiological aspects of biowaste during composting in a monitored compost bin, 127

Sakaguchi, E. *see* Nishino, N.
Salazar, M. *see* Theoduloz, C.
Sánchez-Porro, C., Martín, S., Mellado, E. & Ventosa, A. Diversity of moderately halophilic bacteria producing extracellular hydrolytic enzymes, 295
Sanchis, V. *see* Guynot, M.E.
Sandel, M.K., Wu, Y.-F.G. & McKillip, J.L. Detection and recovery of sublethally-injured enterotoxigenic *Staphylococcus aureus*, 90
Savoy de Giori, G. *see* Mozzi, F.
Schaefer III, F.W. *see* Hayes, S.L.
Scheutz, F. *see* Bang, D.D.
Scott, K.P. *see* Blake, D.P.
Sefa-Dedeh, S. *see* Annan, N.T.
Seganti, L. *see* Longhi, C.
Sen, M. *see* Mattick, K.
Senini, L. *see* Mora, D.
Senior, E. *see* Ralebitso-Senior, T.K.
Setó, L. *see* Guynot, M.E.
Settanni, L. *see* Corsetti, A.
Shamala, T.R., Chandrashekar, A., Vijayendra, S.V.N. & Kshama, L. Identification of polyhydroxyalkanoate (PHA)-producing *Bacillus* spp. using the polymerase chain reaction (PCR), 369
Shaw, K.E. *see* Davidson, G.
Shchepetova, J. *see* Annuk, H.
Sheridan, J.J. *see* Bolton, D.J.
Sheridan, J.J. *see* McEvoy, J.M.
Sherwood, J.S. *see* Logue, C.M.
Shimoda, M. *see* Furukawa, S.
Shiota, H. *see* Nishino, N.
Shwartzbrood, L. *see* Lucena, F.
Sigoillot, J.-C. *see* Lomascolo, A.
Silva, J. *see* Carvalho, A.S.
Silva, V.L., Carvalho, M.A.R., Nicoli, J.R. & Farias, L.M. Aerotolerance of human clinical isolates of *Prevotella* spp., 701
Šimpraga, M. *see* Kos, B.
Sirisena, D.M. & Skurnik, M. Mutations in the genes for synthesis of the outer core region of the lipopolysaccharide of *Yersinia enterocolitica* O:3, 686
Skandamis, P.N. *see* Panagou, E.Z.
Skaugen, M. *see* Mareková, M.
Skraber, S. *see* Lucena, F.
Skurnik, M. *see* Sirisena, D.M.
Slade, M.B. *see* Gunasekera, T.S.
Slader, J. *see* Mattick, K.

Smelt, J.P.P.M. *see* Abram, F.
Songisepp, E. *see* Annuk, H.
Sorel, N., Guillot, E., Thellier, M., Accoceberry, I., Datry, A., Mesnard-Rouiller, L. & Miégeville, M. Development of an immunomagnetic separation-polymerase chain reaction (IMS-PCR) assay specific for *Enterocytozoon bieneusi* in water samples, 273
Sorlini, C. *see* Zucchi, M.
Stackebrandt, E. *see* Suihko, M.-L.
Stanton, C. *see* Coakley, M.
Stevens, A.M. *see* Richardson, I.R.
Strike, P. *see* Taylor-Robinson, J.D.
Suarez, F. *see* Vargas-Garcia, M.C.
Suárez-Estrella, F., Vargas-García, M.C., Elorrieta, M.A., López, M.J. & Moreno, J. Temperature effect on *Fusarium oxysporum* f.sp. *melonis* survival during horticultural waste composting, 475
Suhr, K.I. & Nielsen, P.V. Antifungal activity of essential oils evaluated by two different application techniques against rye bread spoilage fungi, 665
Suihko, M.-L. & Stackebrandt, E. Identification of aerobic mesophilic bacilli isolated from board and paper products containing recycled fibres, 25
Sullivan, R.F., Holtman, M.A., Zylstra, G.J., White, J.F. Jr & Kobayashi, D.Y. Taxonomic positioning of two biological control agents for plant diseases as *Lysobacter enzymogenes* based on phylogenetic analysis of 16S rDNA, fatty acid composition and phenotypic characteristics, 1079
Sullivan, W.R. *see* Bogan, B.W.
Sunderland, K.D. *see* Davidson, G.
Sung, J.-M. *see* Kim, S.-W.
Šušković, J. *see* Kos, B.
Święcicka, I. & De Vos, P. Properties of *Bacillus thuringiensis* isolated from bank voles, 60
Swings, J. *see* Dalgaard, P.
Swings, J. *see* Ryckeboer, J.

Takumi, K. *see* de Jonge, R.
Taylor, H.D. *see* Blanch, A.R.
Taylor-Robinson, J.D., Child, M., Pickup, R., Strike, P. & Edwards, C. Cell–cell interactions influence resistance and survival of *Salmonella* serotype Typhimurium to environmental stress, 95
Teixeira, P. *see* Carvalho, A.S.
Teixidó, N. *see* Plaza, P.
Teixidó, N. *see* Torres, R.
Thellier, M. *see* Sorel, N.
Theoduloz, C., Vega, A., Salazar, M., González, E. & Meza-Basso, L. Expression of a *Bacillus thuringiensis* δ-endotoxin *cry1Ab* gene in *Bacillus subtilis* and *Bacillus licheniformis* strains that naturally colonize the phylloplane of tomato plants (*Lycopersicon esculentum*, Mills), 375
Tonon, T. *see* Divol, B.
Torres, R., Usall, J., Teixidó, N., Abadias, M. & Viñas, I. Liquid formulation of the biocontrol agent *Candida sake* by modifying water activity or adding protectants, 330
Traore, A.S. *see* Ouoba, L.I.I.
Tresse, O., Lescob, S. & Rho, D. Dynamics of living and dead bacterial cells within a mixed-species biofilm during toluene degradation in a biotrickling filter, 849
Tuncer, M. & Ball, A.S. Co-operative actions and degradation analysis of purified xylan-degrading enzymes from *Thermomonospora fusca* BD25 on oat-spelt xylan, 1030

Urdaci, M.-C. *see* Merle, C.
Usall, J. *see* Plaza, P.
Usall, J. *see* Torres, R.
Usera, M.A. *see* Reche, M.P.
Uyttendaele, M. *see* Cools, I.

van Aelst, A.C. *see* Chitarra, G.S.
Van Beeumen, J. *see* Foulquié Moreno, M.R.
van Leusden, F.M. *see* de Jonge, R.
Vancanneyt, M. *see* Dalgaard, P.
Varey, P.D. *see* Edrington, T.S.
Vargas-Garcia, M.C., Lopez, M.J., Elorrieta, M.A., Suarez, F. & Moreno, J. Properties of polysaccharide produced by *Azotobacter vinelandii* cultured on 4-hydroxybenzoic acid, 388
Vargas-García, M.C. *see* Suárez-Estrella, F.
Vázquez, C. *see* de las Heras, A.
Vázquez-Juárez, R.C., Barrera-Saldaña, H.A., Hernández-Saavedra, N.Y., Gómez-Chiarri, M. & Ascencio, F. Molecular cloning, sequencing and characterization of *omp48*, the gene encoding for an antigenic outer membrane protein from *Aeromonas veronii*, 908
Veal, D.A. *see* Gunasekera, T.S.
Vega, A. *see* Theoduloz, C.
Ventosa, A. *see* Sánchez-Porro, C.
Vercoe, P.E., Kocherginskaya, S.A. & White, B.A. Differential protein phosphorylation–dephosphorylation in response to carbon source in *Ruminococcus flavefaciens* FD-1, 974

Verdenelli, M.C., Cecchini, C., Orpianesi, C., Dadea, G.M. & Cresci, A. Efficacy of antimicrobial filter treatments on microbial colonization of air panel filters, 9
van Verseveld, H.W. *see* Ralebitso-Senior, T.K.
Vijayendra, S.V.N. *see* Shamala, T.R.
Vilanova, X. *see* Blanch, A.R.
Villemur, R. *see* Gauthier, E.
Viñas, I. *see* Plaza, P.
Viñas, I. *see* Torres, R.
Vuković, S. *see* Kos, B.

Waché, Y. *see* Aguedo, M.
Wagner, R.D., Paine, D.D. & Cerniglia, C.E. Phenotypic and genotypic characterization of competitive exclusion products for use in poultry, 1098
Wainø, M. *see* Lund, M.
Waites, W.M. *see* Lee, J.K.
Walsh, S.E., Maillard, J.-Y., Russell, A.D., Catrenich, C.E., Charbonneau, D.L. & Bartolo, R.G. Activity and mechanisms of action of selected biocidal agents on Gram-positive and -negative bacteria, 240
Wang, X.D., Bohlscheid, J.C. & Edwards, C.G. Fermentative activity and production of volatile compounds by *Saccharomyces* grown in synthetic grape juice media deficient in assimilable nitrogen and/or pantothenic acid, 349
Ware, M.W. *see* Hayes, S.L.
Webb, H. *see* Xu, J.
Wedderkopp, A. *see* Lund, M.
Wedderkopp, A. *see* Pedersen, K.
Weimer, P.J. *see* Weinberg, Z.G.
Weinberg, Z.G., Muck, R.E. & Weimer, P.J. The survival of silage inoculant lactic acid bacteria in rumen fluid, 1066
White, B.A. *see* Vercoe, P.E.
White, J.F. Jr *see* Sullivan, R.F.
Whitman, R.L. *see* Fogarty, L.R.
Williams, A.G. *see* Dasen, A.
Wolcott, M.J. *see* Fogarty, L.R.
Wouters, P.C. *see* Abram, F.
Wu, Y.-F.G. *see* Sandel, M.K.
Wyer, M.D. *see* Crowther, J.

Xu, C.P. *see* Hwang, H.J.
Xu, C.-P. *see* Kim, S.-W.
Xu, J., Millar, B.C., Moore, J.E., Murphy, K., Webb, H., Fox, A.J., Cafferkey, M. & Crowe, M.J. Employment of broad-range 16S rRNA PCR to detect aetiological agents of infection from clinical specimens in patients with acute meningitis – rapid separation of 16S rRNA PCR amplicons without the need for cloning, 197

Yoshida, M. *see* Nishino, N.
Yu, J. *see* Cuero, R.
Yun, J.W. *see* Hwang, H.J.
Yun, J.-W. *see* Kim, S.-W.

Zerhouni, P. *see* Bengtsson, G.
Zilmer, M. *see* Annuk, H.
Zucchi, M., Angiolini, L., Borin, S., Brusetti, L., Dietrich, N., Gigliotti, C., Barbieri, P., Sorlini, C. & Daffonchio, D. Response of bacterial community during bioremediation of an oil-polluted soil, 248
Zylstra, G.J. *see* Sullivan, R.F.

Subject index

'abattoir' biotype 321
acid adaptation
  E. coli O157 555, 625
  Salmonella Typhimurium 625
acid shock proteins 184
acid-shocked bacteria
  detection/recovery 90
  sporulation 184
actA gene 879
adaptive responses
  acid adaptation 555
  deuteriation 580
  Salmonella Typhimurium 625
additive effect *vs* synergy 747
adhesion
  Aeromonas 1072
  lactobacilli 449, 981
  oral bacteria 456, 767
  St. aureus 413
aeration and bacterial haemoglobin 1052
Aeromonas spp.
  A. caviae biofilm formation 1072
  A. hydrophila 266
  A. veronii 908
  photooxidation 531
aerotolerance of *Prevotella* 701
aflatoxin synthesis and metal ions 953
African locust bean protein 396
aggregation ability 981
air quality/filtration 9
C_{10}–C_{16} alkyldimethyl amine *N*-oxides 240
ammonia-based manure treatment 675
ampicillin resistance 495
amplification-based typing 781
amplified fragment length polymorphism (AFLP) 65
α-amylase activity in *Enterobacter aerogenes* 1052
antagonistic microorganisms 761
antibiotic ionophores 207
antibiotic resistance 111, 495
  evaluation in hospital wastewater 994
  Salmonella serogroup B 289
antifungal activity of volatile compounds 665, 893
antifungal production in *B. subtilis* 159
antimicrobial agents
  activity/mechanisms 240
  air filter treatments 9
  combinations 747
  natural 665, 761
  see also biocidal agents; biocontrol antimicrobial manure treatments 675
antimicrobial resistance
  Campylobacter 111, 495
  Salmonella spp. 16
arcD gene 738
arginine transport gene isolation 738
aroma compounds
  lactone 258
  in maize dough 456
  see also volatile compound production *Aspergillus* spp. 893
atrazine catabolism 1043
autolytic activity in *Pediococcus* 561
Azotobacter vinelandii polysaccharide production 388

Bacillus spp.
  B. anthracis 1108
  B. cereus genetic relationships 1108
  B. subtilis
    acid-shocked 184
    ALBP degradation 396
    antifungals from 159
    spore inactivation 836
  B. thuringiensis from bank voles 60
  in board/paper products 25
  expression of *cry1Ab* gene 375
  PHA-producing 369
bacteria
  in biowaste composting 127
  cuprosolvency by 501
  oral 456
  response to oil contamnation 248
bacterial haemoglobin and aeration 1052
bacterial indicators 808
bacterial membrane damage 1015
bacteriocins from enterococci 214
bacteriophages in river waters 808
bakery products 456, 641, 893
bambermycin 207
bank voles, *B. thuringiensis* from 60
benzyldimethylalkylammonium chloride (BAC) degradation 266
Bifidobacterium 138
biocidal agents
  bacterial activity 240
  membrane damage, bacterial 1015
  mixtures 747, 1015
biocontrol 375
  B. subtilis 159
  Candida sake 330
  Epicoccum nigrum for brown rot 508
  Lysobacter enzymogenes 1079

post-harvest pear diseases 761
Varroa destructor 816
biodegradation
ALBP 396
BAC 266
PAH 230, 301, 608
toluene 849
xylan 1030
biofilms 501, 1072
in biotrickling filter 849
biological halogenation 539
bioporation 9
bioremediation 230, 248, 266, 608
biosolids *see* sewage sludge biowaste composting 127, 425
birds
Salmonella in captive raptors 65
see also poultry 'blown pack' spoilage 515
board products
bacilli from 25
Streptococcus in 1059
BOX-AIR 1108
brewery yeast, microarray analysis of 432
burns, infection of 413

Campylobacter spp.
antimicrobial resistance 495
C. jejuni survival in water 887
PCR detection in broilers 929
in pigs/cattle 1003
quinolone resistance 111
in washing-up water 842
Candida krusei 456
Candida sake liquid formulation 330
carbohydrates, non-digestible 312
carbon dioxide/cold stress in preservation 48
carbon source
limitation 1043
and protein phosphorylation 974
substrate enrichment and PAH degradation 608
utilization profiles 792, 1098
carbonate manure treatment 675
Carnobacterium divergens 80
cell viability in biofilm 849
cell–cell interactions in stress resistance 95
cheese
production, microflora of 595
soft, Listeria in 879
citrus fungi 549
cloning, molecular 908
Clostridium, psychrophilic 515

cold/CO_2 stress in preservation 48
collagen 413, 767
combined bacterial association 1043
competitive exclusion
effects of tylosin on 73
product characterization 1098
composting
of biowaste 127
of horticultural waste 475
conjugated linoleic acid biosynthesis 138
constant-depth film fermenters (CDDFs) 655
continuous culture
chicken microflora 73
plaque organisms 655
controlled pH batch culture 175
Cordyceps militaris C738 120
cry1Ab gene expression by *Bacillus* 375
Cryptosporidium 35
cuprosolvency by biofilm bacteria 501
cytokines 1059
cytolethal distending toxin (CDT) 1003

decontamination of pork carcasses 1036
denaturing gradient gel electrophoresis 655 *see* PCR-DGGE
dental plaque microcosms 655
deuteriation 580
didecyldimethylammonium chloride 240
disinfection 747
in egg-packing plants 191
dissolved organic carbon (DOC) and PAH degradation 608
DNA extraction methods 988
DNA probe test kits 382
DNA variability 95
dough
aroma components 456
bacteria, molecular typing of 641

egg production and *Salmonella* 1024
egg-packing plant contamination/disinfection 191
enrofloxacine 111
ensiling properties, enhancement of 800
enteric fever pathogens 340
Enterobacter aerogenes 1052
enterocins from enterococci 214, 523
Enterococcus spp.
bacteriocin isolation/characterisation 214, 523
E. faecalis 80
E. faecium EK13 523
faecal water pollution 792

in gull faeces 865
survival on freeze-drying 947
in urban/hospital wastewater 994
Enterocytozoon bieneusi 273
entomopathogenic fungus–temperature interactions 816
environmental stress 48, 90, 95
enzymes
extracellular 1079
xylan-degrading 1030
Epicoccum nigrum 501
epidemiological markers
in captive raptors 65
in processing plants 826
erythromycin resistance 495, 994
Escherichia coli
deuteriation 580
E. coli O157
acid adaptation 555, 625
Shiga toxin-producing (STEC) 587
E. coli O157:H7
antibiotic ionophores 207
effects of tylosin 73
quantification by real-time PCR 421
removal from manure 675
evaluation 483
in gull faeces 865
tetracycline resistance genes 1087
thermotolerance 919
essential oils, antifungal activity of 665, 893
ethanol-induced laccase production 618
eugenol 240
Eurotium spp. 893
event trees in pathogen quantification 35
exopolygalacturonase gene 856
exopolysaccharide production
Azotobacter vinelandii 388
Cordyceps militaris C738 120
Lactobacillus casei CRL 87 175
Phellinus gilvus 708

$FADH_2$-dependent halogenase 539
faecal water pollution 792, 962
fatty acid methyl ester profiles 1098
fermentation
brewery yeast 432
Cordyceps 120
production of volatile compounds 747
fermented maize dough aroma components 456
fibronectin 413, 767
filters/filtration
air panel 9
biotrickling filter 849
fingerprinting, rep-PCR 1108
Flavobacterium psychrophilum GP60 1120
fluorescence *in situ* hybridization (FISH) 936
fluorinase 539
fluoroquinolone resistance 111
food preservation 665
formulation
dry, of *Epicoccum nigrum* 508
liquid, of *Candida sake* 330
frame-shift mutations 686
freeze-drying 947
fructo-oligosaccharides (FOS) 312
functional foods 138
fungal growth and metal ions 953
fungal polygalacturonases 856
fungi
in biowaste composting 127
effect of essential oils 665, 893
entomopathogenic 816
fermentation 120
fungicides, natural 761
Fusarium spp.
F. oxysporum f.sp. *melonis* 475
F. oxysporum f.sp. *radicis lycopersici* 856

gastrointestinal tract and probiotics 449
gene expression and metal ions 953
gene mutation in *Yersinia enterocolitica* 686
gene sequencing 908
genetic relationships in *B cereus* group 1108
genotyping
Campylobacter 495
competitive exclusion products 1098
Lactobacillus 595, 641
Listeria 720
Mycobacterium 781
Salmonella serogroup B 289
Staph. aureus biotypes 321
Weissella 641
Geotrichum candidum 549
germination rates of citrus fungi 549
'Get Stuffed' survey 733
Giardia cyst inactivation 54
glycoprotein P60 purification/characterization 1120
growth media and freeze-drying 947
growth rate modelling 146
gull faeces, bacteria in 865
gypsum board 1059

haemoglobin, bacterial 1052
halogenation, biological 539
halometabolites 539
halophilic bacteria 295
hand contamination/washing efficacy 483
heating studies 919
heat-resistance 146
heat-shocked bacteria 90
  stress resistance 95
high-rate algal pond 531
hlyA virulence determinant 720
hospital wastewater 994
hydrolases from halophilic bacteria 295
hydrophobicity 1072
4-hydroxybenzoic acid 388

image analysis of hand contamination 483
immunomagnetic separation-polymerase chain reaction (IMS-PCR) assay 273
inhibition of biocides in mixtures 1015
ionophores, antibiotic 207

KatA 184

laccase production, ethanol-induced 618
lactic acid bacteria
  CLA biosynthesis 138
  EPS biosynthesis 175
  intestinal, as probiotics 403, 449
  and resistant starches 312
  silage inoculant 1066
  spoilage of MAP shrimps 80
  wine/phenolic acids 164
Lactobacillus spp.
  in cheese production 595
  L. acidophilus M92 981
  L. buchneri 800
  L. fermentum 456
  L. hilgardii 164
  L. lactis 900
  L. plantarum inactivation by PEF 571
  as probiotics 403, 449
  in sourdough production 641
lactone aroma compounds 258
laidlomycin propionate 207
laminin 767
lasalocid 207
Leuconostoc mesenteroides 280
lignin peroxidase stimulation 360
linoleic acid 138
lipopolysaccharide outer core 686
Listeria spp.
  L. innocua 483
  L. monocytogenes
    detection in soft cheese 879
    epidemiology in poultry 633
    subtyping 720
    VBNC, and cold/CO_2 stress 48
low pressure u.v. inactivation of *Giardia* cysts 54
Lysobacter enzymogenes taxonomy 1079

maize dough aroma components 456
maize silage, whole crop 800
manure treatments, antimicrobial 675
MAP shrimps 80
meat contamination/spoilage 515, 693
membrane damage, bacterial 1015
membrane proteins 1120
meningitis 197
metal ions and *Aspergillus flavus* 953
methyl transferases 539
microbial growth on air filters 9
microbial succession
  in bioremediation 248
  in composting 127
microbiological quality
  of stuffing 733
  of washing-up water 842
microflora dynamics in Cheddar cheese production 595
microflora of pig colon/caecum 988
Microsporidia 273
modelling
  acid adaptation 571
  biocide mixtures 747
  entomopathogenic fungus–temperature interactions 816
  faecal indicator concentrations in waterways 962
  Monascus ruber growth 146
modified atmosphere packaging 80
Monascus ruber modelling 146
monensin 207
multilocus enzyme electrophoresis 633
mycelial biomass 120, 708
Mycobacterium spp.
  M. austroafricanum 230
  M. tuberculosis 781

nalidixic acid 111
National Antimicrobial Resistance Monitoring System 16
natural antimicrobials 665, 761
Neisseria meningitidis 197

nitrogen limitation 1043
nitrogen, yeast assimilable (YAN) 349
nutritional limitation 95

Oenococcus oeni 164, 738
oil contamination 248
'O-island 29' 587
omp48 gene 908
oral bacteria 456, 767
organic matter in heating studies 919
outer membrane proteins 908
oxidoreduction potential 280
oxygen tolerance of *Prevotella* 701

Paenibacillus 25
pantothenic acid 349
paper 1030
paper products, bacilli from 25
pathogenicity of *Salmonella* spp. 340
pathogens, food-associated 48, 90
 from sewage sludge 35
PCR 103
 16S rRNA 197
 Bacillus identification 369
 Campylobacter detection 929
 Campylobacter virulence/toxin genes 1003
 in DNA extraction 988
 Listeria detection 879
 Pseudomonas detection 936
 psychrophilic *Clostridium* detection 515
 RAPD 641
 real-time
  Aspergillus characterization 953
  E. coli quantification 421
  STEC detection 587
PCR-DGGE 1043
pear diseases, post-harvest 761
pediocin-induced lysis 561
Pediococcus 138, 561
Penicillium spp. 893
 P. digitatum 549
 P. italicum 549
 P. roqueforti 159
peptide transport 900
periodontal disease 767
phage typing 826
Phanerochaete chrysosporium 360
Phellinus gilvus 708
phenolic acids 164
16SrI-B phytoplasms 103
pig gastrointestinal microflora 988
plant disease biocontrol 1079
plasmid profiling 826, 1024
plasterboard starch as growth medium 1059
polyacrylamide gel electrophoresis (PAGE) 197
polyaspartate reducing bacterial adhesion 456
polycyclic aromatic hydrocarbon (PAH) degradation 230
 carbon substrate enrichment 608
 by new bacteria 301
polygalacturonases, fungal 856
polyhydroxyalkanoate (PHA)-producing *Bacillus* spp. 369
polymerase chain reaction (PCR) *see* PCR polymorphism 65, 103
polyoxyalkanes 360
polysaccharide production from 4-hydroxybenzoic acid 388
pork scalding temperatures 1036
poultry
 Campylobacter detection 929
  quinolone-resistant 111
 chicken microflora, effects of tylosin on 73
 competitive exclusion products in 1098
 decontamination of housing 919
 L. monocytogenes epidemiology 633
 national broiler surveillance programme 929
 Salmonella in processing plants 16, 826
 and washing-up water quality 842
predictive microbiology 146
predictive modelling of acid resistance 555
preservation, cold/CO_2 stress 48
Prevotella spp. 701
probiotics 138, 403, 449, 981
 in silage 1066
1,2-propanediol 800
protectants 330
protein binding 413, 767
protein phosphorylation–dephosphorylation 974
proteins
 acid shock 184
 African locust bean 396
 membrane 908, 1120
 surface layer 981
Pseudomonas spp.
 detection in milk 936
 P. fluorescens 483
psychrophilic *Clostridium* 515
pulsed electric field inactivation of *Lactobacillus* 571
pulsed field gel electrophoresis (PFGE)
 B. thuringiensis 60
 Mycobacterium 781
 Salmonella 65, 1024

Staph. aureus 321
Pyncnoporus cinnabarinus 618

quinolone resistance 111

raw potato starch (RPS) 312
ready-to-eat stuffing 733
reciprocal pressurization 836
recycled fibres 25
reporter oligopeptide transport 900
rep-PCR in *B. cereus* group 1108
restriction enzyme analysis 633
restriction fragment length polymorphism 781
retentostat cultivation 1043
RFLP analyses 103
ribosomal RNA probes 936
ribotyping
 bacilli 25
 Salmonella 65, 1024
river water 808
root crops and sewage sludge 35
rumen fluid, survival in 1066
Ruminococcus flavefaciens FD-1 974

Saccharomyces spp. 349
 S. cerevisiae 456
Salmonella spp.
 antibiotic ionophores 207
 antimicrobial resistance 16
 in cattle/on beef 693
 cross-contamination 826, 1036
 detection in biosolids 382
 in egg-packing plants 191
 S. Enteritidis in egg layer farms 1024
 S. java 340
 S. paratyphi B 340
 serogroup B, antibiotic resistance in 289
 serotype Havana in captive raptors 65
 serotype Typhimurium 95, 625, 675
 in sewage sludge 35
 thermotolerance 919
 in washing-up water 842
sanitizing products 761
scalding temperatures, critical 1036
Schoolfield *et al* model 816
SDS-PAGE 641
selective agar overlay 90
sewage sludge
 and pathogens in root crops 35
 Salmonella DNA probes 382
Sharpe and DeMichele model 816
shrimps, brined 80
silage
 lactic acid bacteria inoculant 1066
 whole crop maize 800
soil remediation 230, 248, 266, 608
solar inactivation 531
sourdough lactic acid bacteria 641
spoilage
 bakery products 893
 'blown pack', of meat 515
 MAP shrimps 80
 milk 936
 olives 146
 rye bread fungi 665
spore activation/inactivation 836, 1059
spore germination inhibition 159
sporulation and acid shock 184
Staphylococcus aureus 90
 comparison of biocide mixtures 747
 discrimination of biotypes 321
 wound infections 413
starch, resistant 312
Streptococcus spp.
 S. californicus growth/sporulation 1059
 S. sanguis 456
stress response genes 432
stuffing, microbiological quality of 733
sublethally-injured cells
 detection/recovery 90
 VBNC 48
submerged culture process 120, 708
substrate utilization 608, 792
surface layer proteins 981
survival
 bacteria
  acid stress 90
  cold/CO_2 stress 48
  in commercial/domestic kitchens 842
  heat stress 90, 95
 freeze-drying 947
 fungi 475
 photooxidation 531
 rumen fluid 1066
 in sterilized water 887
synergy 1015
 vs additive effect 747

taxonomy of *Lysobacter* strains 1079
temperature

cold 48
effect on citrus fungi 549
and entomopathogenic fungi 816
heat 90, 146, 919
pork scalding 1036
tetracycline
influence on tet genes 1087
resistance 495, 1087
Thermomonospora fusca 1030
thermotolerance
E. coli 919
Fusarium oxysporum f.sp. *melonis* 475
Salmonella 95, 919
thymol 240
tissue-destructive treponeme diseases 767
toluene 849
tomato pest biocontrol 375
toxin genes 1003
transcription profile of yeast 432
Treponema spp. pathogenic diversity 767
triclocarban 240
Tuta absoluta 375
two-liquid-phase culture systems 301
tylosin 73

UDP-galactose 4-epimerase 175
ultraviolet inactivation of *Giardia* cysts 54

vancomycin resistance 994
Varroa destructor 816
Veillonella 73
vgb gene 1052
viable but non-culturable (VBNC) state 48
see also sublethally-injured cells virulence determinant 720
virulence factors 767, 1003
volatile compound production 349, 456, 893
see also aroma compounds water
drinking 501, 887
hospital waste 994

water activity 330, 549
water pollution, faecal 792, 808
in large rural catchments 962
water quality
L. monocytogenes 808
recreational 856
washing-up 842
water sample IMS-PCR assay 273
Weissella spp. 641
wildlife vectors in *Salmonella* infection 1024
wine lactic acid bacteria 164
wound infections 413

xylan degradation by *T. fusca* 1030

Yarrowia lipolytica 258
yeasts
in biowaste composting 127
microarray analysis of 421
toxicity of lactone aroma compounds 258
Yersinia enterocolitica 686